参考文献

[1] P. Viola and M. Jones: "Rapid Object Detection Using a Boosted Cascade of Simple Features", in proceedings of *IEEE Conference on Computer Vision and Pattern Recognition*, pp. 511–518, 2001.

[2] P. Viola and M. Jones: "Robust Real-Time Object Detection", *International Journal of Computer Vision*, Vol. 57, No. 2, pp. 137–154, 2004.

[3] N. Dalal and B. Triggs: "Histograms of Oriented Gradients for Human Detection", in proceedings of *IEEE Conference on Computer Vision and Pattern Recognition*, Vol. 1, pp. 886–893, 2005.

[4] M. Kearns: "Thoughts on Hypothesis Boosting", Unpublished, Project for Ron Rivest's machine learning course at MIT: 1988.

[5] Y. Freund and R. E. Schapire: "A Decision-Theoretic Generalization of On-Line Learning and an Application to Boosting", *Journal of Computer and System Sciences*, Vol. 55, No. 1, pp. 119–139, August 1997.

[6] R. E. Schapire and Y. Singer: "Improved Boosting Algorithms Using Confidence-Rated Predictions", *Machine Learning*, Vol. 37, No. 3, pp. 297–336, 1999.

[7] J. Friedman, T. Hastie, and R. Tibshirani: "Additive Logistic Regreesion : a Statistical View of Boosting", *Annals of Statistics*, 1998.

[8] S. Li, Z. Zhang, H. Shum, and H. Zhang: "FloatBoost Learning for Classification", in proceedings of *MIT Press*, pp. 993–1000, 2003.

[9] A. Demiriz and K. P. Bennett: "Linear Programming Boosting via Column Generation", *Machine Learning*, pp. 225–254, 2001.

[10] B. Wu, H. Ai, C. Huang, and S. Lao: "Fast Rotation Invariant Multi-View Face Detection Based on Real Adaboost", in proceedings of *International Conference on Automatic Face and Gesture Recognition*, pp. 79–84, 2004.

[11] A. Torralba, K. P. Murphy, and W. T. Freeman: "Sharing Visual Features for Multiclass and Multiview Object Detection", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 29, No. 5, pp. 854–869, 2007.

[12] J. Friedman, T. Hastie, and R. Tibshirani: "Additive Logistic Regression: a Statistical View of Boosting", *Annals of Statistics*, Vol. 28, pp. 337-407, 1998.

[13] Y. Yamauchi, H. Fujiyoshi, Y. Iwahori, and T. Kanade: "People Detection Based on Co-occurrence of Appearance and Spatio-temporal Features", *National Institute of Informatics Transactions on Progress in Informatics*, No. 7, pp. 33–42, 2010.

[14] 高木雅成, 山内悠嗣, 藤吉弘亘: "Geometric Context を用いた特徴量間の共起による物体検出の高精度化", 電子情報通信学会論文誌, Vol. 93-D, No. 8, pp. 1429–1438, 2010.

[15] P. Viola, O. M. Way, and M. J. Jones: "Robust Real-Time Face Detection", *International Journal of Computer Vision*, Vol. 57, No. 2, pp. 137–154, 2004.

[16] 山内悠嗣: 画像局所特徴量の共起性に基づいた人検出の高精度化に関する研究. PhD thesis: 中部大学院工学研究科情報工学専攻博士論文: 2012. 未公刊.

[17] 村瀬洋: "画像認識のための生成型学習", 情報処理学会論文誌. コンピュータビジョンとイメージメディア, Vol. 46, No. 15, pp. 35–42, 2005.

[18] M. Noda, T. Takahashi, I. Ide, H. Murase, Y. Kojima, and T. Naito: "Recognition of Road Markings from In-Vehicle Camera Images by a Generative Learning Method", in proceedings of *International Conference on Machine Vision Applications*, pp. 514–517, 2009.

[19] K. Doman, D. Deguchi, T. Takahashi, Y. Mekada, I. Ide, and H. Murase: "Construction of cascaded traffic sign detector using generative learning", in proceedings of *International Conference on Innovative Computing Information and Control*, pp. 889–892, 2009.

[20] C. Huang, H. Ai, Y. Li, and S. Lao: "Vector boosting for rotation invariant multi-view face detection", in proceedings of *IEEE International Conference on Computer Vision*, Vol. 1, pp. 446–453, 2005.

[21] 村井陽介, 藤吉弘亘, 伊藤誠也, 数井誠人: "弱識別器の応答に基づく類似シルエット画像選択による Chamfer Matching を用いた人領域のセグメンテーション", 第 12 回画像の認識・理解シンポジウム, pp. 1468–1475, 2009.

[22] A. Y. Ng, M. I. Jordan, and Y. Weiss: "On Spectral Clustering: Analysis and an algorithm", in proceedings of *ADVANCES IN NEURAL INFORMATION PROCESSING SYSTEMS*, pp. 849–856. MIT Press, 2001.

[23] Y. A. Sheikh, E. A. Khan, and T. Kanade: "Mode-seeking by Medoidshifts", *Computer Vision, IEEE International Conference on Computer Vision*, Vol. 0, pp. 1–8, 2007.

[24] C. Dorin and M. Peter: "Mean Shift: A Robust Approach Toward Feature Space Analysis", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 24, No. 5, pp. 603–619, 2002.

[25] S. Agarwal, A. Awan, D. Roth, and I. C. Society: "Learning to detect objects in images via a sparse, part-based representation", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 26, pp. 1475–1490, 2004.

[26] A. W. Whitney: "A Direct Method of Nonparametric Measurement Selection", *IEEE Transactions on Computers*, Vol. 20, No. 9, pp. 1100–1103, September 1971.

[27] T. Marill and D. Green: "On the Effectiveness of Receptors in Recognition Systems", *IEEE Transactions on Information Theory*, Vol. 9, No. 1, pp. 11–17, 2006.

[28] K. Bache and M. Lichman, "UCI Machine Learning Repository", 2013.

[29] R. T. Collins, A. J. Lipton, H. Fujiyoshi, and T. Kanade: "Algorithms for Cooperative Multisensor Surveillance", in proceedings of *Surveillance, Proceedings of the IEEE*, 2001.

[30] 藤吉弘亘, 小村剛史, 矢入 (江口) 郁子, 香山健太郎, 吉水宏: "歩行者 ITS のためのフレーム間差分による移動体検出法とその評価", 情報処理学会論文誌. コンピュータビジョンとイメージメディア, Vol. 45, No. 13, pp. 11–20, 2004.

[31] B. D. Lucas and T. Kanade: "An Iterative Image Registration Technique with an Application to Stereo Vision", in proceedings of *DARPA Image Understanding Workshop*, pp. 674–679, 1981.

[32] J. Mar, V. David, D. Ger, and M. L. Antonio: "Learning Appearance in Virtual Scenarios for Pedestrian Detection", in proceedings of *IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pp. 137–144, 2010.

[33] "平成 20 年度体力・運動能力調査調査結果統計表:文部科学省", 2009. http://www.mext.go.jp/b menu/houdou/21/10/attach/1285568.htm.

[34] T. Dietterich, R. Lathrop, and T. Lozano-Pérez: "Solving the Multiple Instance Problem with Axis-Parallel Rectangles", *Artificial Intelligence Journal*, Vol. 89, pp31–71, 1997.

[35] P. Viola, J. Platt, and C. Zhang: "Multiple Instance Boosting for Object Detection", in proceedings of *Advances in neural information processing systems*, Vol. 18, 2006.

[36] J. Pang, Q. Huang, S. Yan, S. Jiang, and L. Qin: "Transferring Boosted Detectors Towards Viewpoint and Scene Adaptiveness.", *IEEE Transactions on Image Processing*, Vol. 20, No. 5, pp. 1388–1400, 2011.

[37] F. Shen, H. Yu, K. Sakurai, and O. Hasegawa: "An Incremental Online Semi-supervised Active Learning Algorithm Based on Self-organizing Incremental Neural Network", *Neural Computing and Applcations*, Vol. 20, No. 7, pp. 1061–1074, 2011.

[38] W. Dai, Q. Yang, G.-R. Xue, and Y. Yu: "Boosting for transfer learning", in proceedings of *International Conference on Machine Learning*, pp. 193–200, 2007.

[39] X. Wang, W. Li, and M. Wang: "Transferring a generic pedestrian detector towards specific scenes", *2013 IEEE Conference on Computer Vision and Pattern Recognition*, Vol. 0, pp. 3274–3281, 2012.

[40] G. Li, L. Qin, Q. Huang, J. Pang, and S. Jiang: "Treat samples differently: Object tracking with semi-supervised online CovBoost", in proceedings of *International Conference on Computer Vision*, pp. 627–634, 2011.

[41] A. Oliva and A. Torralba: "Modeling the Shape of the Scene: A Holistic Representation of the Spatial Envelope", *Int. J. Comput. Vision*, Vol. 42, No. 3, pp. 145–175, 2001.

[42] A. Torralba, B. C. Russell, and J. Yuen: "LabelMe: Online Image Annotation and Applications", *Proceedings of the IEEE*, Vol. 98, No. 8, pp. 1467–1484, 2010.

[43] L. Breiman: "Random Forests", *Machine Learning*, Vol. 45, No. 1, pp. 5–32, 2001.

[44] L. Breiman: "Bagging Predictors", *Machine Learning*, Vol. 24, No. 2, pp. 123–140, 1996.

[45] Y. Amit and D. G. Y: "Shape quantization and recognition with randomized trees", *Neural Computation*, Vol. 9, pp. 1545–1588, 1997.

[46] J. Gall, A. Yao, N. Razavi, L. V. Gool, and V. Lempitsky: "Hough Forests for Object Detection, Tracking, and Action Recognition", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 33, No. 11, pp. 2188–2202, 2011.

[47] J. Shotton, M. Johnson, and R. Cipolla: "Semantic texton forests for image categorization and segmentation", in proceedings of *IEEE Conference on Computer Vision and Pattern Recognition*, pp. 1–8, 2008.

[48] J. Shotton, A. Fitzgibbon, M. Cook, T. Sharp, M. Finocchio, R. Moore, A. Kipman, and A. Blake: "Real-time human pose recognition in parts from single depth images", in proceedings of *IEEE Conference on Computer Vision and Pattern Recognition*, 2011.

[49] J. Margeta, K. McLeod, A. Criminisi, and N. Ayache: "Decision Forests for Segmentation of Left Atrium From 3D MRI", in MICCAI Workshop on Statistical Atlases and Computational Models of the Heart, 2013

[50] M. Enzweiler and D. M. Gavrila: "Monocular Pedestrian Detection: Survey and Experiments", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 31, No. 12, pp. 2179–2195, 2009.

研究業績一覧

学術論文

[1] 土屋成光, 藤吉弘亘, "Boosting に基づく分割統治的戦略による高精度な識別器構築手法", 電子情報通信学会論文誌, Vol.J95-D, No.3, pp.656-665, 2012.

[2] 後藤雄飛, 土屋成光, 山内悠嗣, 藤吉弘亘, "近似計算を導入した線形識別器の早期判定による高速な識別", 電子情報通信学会論文誌, Vol.J97-D,No.2, pp.294-302, 2014.

[3] 土屋成光, 山内悠嗣, 藤吉弘亘, "人検出のための生成型学習と Negative-Bag MILBoost による学習の効率化", 電気学会論文誌 C, Vol.134, No.3, pp.450-458, 2014.

国際会議発表論文 (査読あり)

[1] Masamitsu Tsuchiya, Hironobu Fujiyoshi, "Evaluating Feature Importance for Object Classification in Visual Surveillance", in Proceedings of International Conference on Pattern Recognition, pp. 978-981, 2006.

[2] Masamitsu Tsuchiya, Hironobu Fujiyoshi, "A Method of Feature Selection Using Contribution Ratio Based on Boosting", in Proceedings of International Conference on Pattern Recognition, 2008.

[3] Masamitsu Tsuchiya, Hironobu Fujiyoshi, "Hybrid Transfer Learning for Efficient Learning in Object Detection", in Proceedings of Asian Conference on Pattern Recognition, 2013.

[4] Yohei Mishina, Masamitsu Tsuchiya, Hironobu Fujiyoshi, "Boosted Random Forest", in Proceedings of International Conference on Computer Vision Theory and Applications, pp. 594-598, 2014.

学会口頭発表 (査読あり)

[1] 土屋成光，藤吉弘亘，"屋外環境下における移動体識別に用いる入力特徴の AdaBoost による評価"，画像センシングシンポジウム，pp. 277–283, 2006.

[2] 土屋成光，藤吉弘亘，"Boost 学習に基づく特徴量の貢献度の評価"，情報科学技術フォーラム, pp. 71–74, 2007.

学会口頭発表 (査読なし)

[1] 土屋成光，藤吉弘亘 "調整可能な AdaBoost による識別器"，電気関係学会東海支部連合大会，2006

[2] 土屋成光，藤吉弘亘. "Boosting に基づく分割統治的戦略による高精度な識別器構築手法の提案"，電子情報通信学会 パターン認識・メディア理解研究会, vol. 109, no. 182, pp81—86, 2009.

[3] 土屋成光，山内悠嗣，山下隆義，藤吉弘亘，"ハイブリッド型転移学習による物体検出における学習の効率化"，電子情報通信学会 パターン認識・メディア理解研究会, vol. 112, no. 385, pp. 329–334, 2013.

[4] 藤吉弘亘，山内悠嗣，土屋成光，山下隆義，"統計的学習法による物体検出の高精度化と効率化-人検出の実用化に向けて-"，情報処理学会 コンピュータビジョンとイメージメディア研究会, vol. 2013-CVIM-186,No.26, 2013.

[5] 後藤祐斗，土屋成光，藤吉弘亘，"Inside-Out カメラからの 3 次元 Scan path とシーン構造の復元"，電子情報通信学会 パターン認識・メディア理解研究会,vol. 113，no. 75，pp. 59–64，2013.